

86184

Application No. \_\_\_\_\_

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS  
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office \_\_\_\_\_

**MAY 03 2016**

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed Sept. 7, 1982 Under 45227

The applicant State of NV, DCNR, NDSL on behalf of Dept. of Administration, Public Works Division,  
Buildings & Grounds Section

901 S. Stewart St. Ste 5003of Carson City

Street Address or PO Box

City or Town

Nevada 89701

State and ZIP Code

hereby make(s) application for permission to change the

☒ Point of diversion☒ Place of use☒ Manner of use☐ of Apportion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

17881, Cert. 4965

RECEIVED  
MAY - 9 11:00:02  
STATE ENGINEER'S OFFICE

1. The source of water is underground well

Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 2.240297 afa 0.5cfs

Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Quasi-municipal

Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Domestic & Military

If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

SW 1/4 SE 1/4 Section 32, Township 15 North, Range 20 East, M.D.B. & M. from which the SE corner of said Section 32 bears South 63° 52' East, a distance of 2,931 feet. See map filed under 45227. Also known as Well 6 at Stewart Facility

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

A point from which the west quarter corner of Section 20, Township 15 North, Range 20 East, M.D.B. & M., bears N. 35° 01' 58" W., a distance of 1898.30'. In the SW 1/4 SW 1/4 of Section 20, Township 15 North, Range 20 East, M.D.B. & M.

Eagle Valley  
8-104  
CC

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated )

S 1/2 SW 1/4 and the SE 1/4, Section 32, Township 15 North, Range 20 East, M.D.B.&M., and NE 1/4 NW 1/4 and the NE 1/2 NE 1/4, Section 5, Township 14 North, Range 20 East, M.D.B.&M. Refer to map on file under Permit 45227.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

That portion of the SW 1/4 SW 1/4 of Section 20, Township 15 North, Range 20 East, M.D.B. & M. which lies east of U.S. 50. Approximately 11 acres.

9. Proposed use will be from 1/1 to 12/31 of each year.  
Month and Day Month and Day

10. Existing use permitted from 1/1 to 12/31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

See Attachment "A"

12. Estimated cost of works complete

13. Estimated time required to construct works complete

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 3 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing )

Relocated water from a well at the National Guard Facility to operable Well No. 6 (NDWR Permit No. 78070) located at the Stewart Indian Facility.

16. Miscellaneous remarks:

dmckay@lands.nv.gov

E-mail Address

(775)684-2729

Phone No.

Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

CHARLES DONOHUE, Administrator & State Land Registrar

Charles Donohue  
Type or print name clearly

Signature, applicant or agent

State of Nevada, DCNR, NDSL

Company Name

901 S. Stewart St. Ste 5003

Street Address or PO Box

Carson City, NV 89701

City, State, ZIP Code

ATTACHMENT "A"

Stewart Well #6

Existing Works Well #6: 320' depth, 20" diameter casing NW 1/4 SE 1/4 Sec 32, T 15N, R20E;

Meter:

McCrometer/ FC101 Flowcom Register

Meter Serial #: 20150995-04;

Installed 5/2015

Meter Read at Install=0;

Pump:

The type of pump and serial # is unknown as its submersible rated at 400 gpm

RECEIVED  
2016 MAY - 2 PM 02  
STATE ENGINEERS OFFICE